




FOR TRADE FENCERS AND CONTRACTORS

THE PROBUILD PVC TRADE FIELD GUIDE

New to PVC? This is how we work.



POST FIRST

PANELS TO FIT

LESS HEADACHE




START HERE

NEW TO PVC?

PVC is not timber, aluminium, steel or Color bond. It is a white fencing system made from profiles, posts, rails, caps and panels designed to work together.

It does not rust, rot or need painting, and it gives customers a clean finished look across picket, privacy, rural and pool-style jobs.

For trade fencers, the main difference is the way the job is planned and ordered. PVC works best when the run is planned first, posts are installed to the site, and panels are made to the real openings.



POST + RAIL + CAP



FINISHED PANEL

Once the method makes sense, PVC is easier to sell, quote and install.



THE SUPPORT BEHIND THE PRODUCT

NOT JUST A PVC SUPPLIER

We manufacture PVC, but the real value is the method behind it.

For fencers, time is the pressure point. Quoting, planning, ordering, measuring and site adjustments can eat into the week before the fence is even finished.

We've already done the hard part: trialling the workflow, working out the post-first process and building a way to order PVC without starting from scratch.

We've already worked out the PVC method.



LESS TIME PLANNING

Fence Planner maps the run, post types, panel count, height and gate locations before the order starts



LESS TIME WORKING IT OUT

Our team reviews the structure and sends back the Pro build supply quote for what that job needs.



LESS TIME ON SITE

Posts and gate posts are supplied first. Panels are made to the real openings, reducing site cutting and adjustment.

[Live Fence Planner enquiry link](#)

[WA-based PVC fencing manufacturer](#)

[30-year material warranty](#)

[White PVC panels and accessories](#)



RANGE OVERVIEW

WHAT WE MAKE

Choose the range first. The method comes next



PICKET

Classic, modern and heritage picket profiles

See pages 8-9



HAMPTONS

Premium privacy and semi-privacy fencing

See pages 10-11



RURAL

Post and rail, acreage and horse-property fencing

See pages 12-13



POOL

PVC pool fencing, gates and matched hardware

See pages 14-15



WALL EXTENSIONS

Privacy panels and screen dividers for existing walls

See pages 16-17



MORE THAN FENCING

Gates, arbours, pergolas, louvers, AC covers & plant boxes

See pages 16-17

Most panel ranges use the Probuild Method. Rural and pool jobs have extra notes later in the guide.



ONE CORE METHOD

THE MAIN METHOD STAYS SIMPLE.

Picket and Hamptons follow the core Probuild Method. Rural and pool jobs get their own notes because the details matter

ONE CORE METHOD



HAMPSTON



PICKET



RURAL

01

PRE-PLAN - Talk through the job before ordering

02

POSTS - Install posts to the site and fence line

03

MEASURE - Measure the real gaps face-to-face

04

FABRICATE - We make panels to suit those openings

05

DROP IN - You install the finished panels

The guide starts with the method, then the range pages repeat the key work flow where it helps



THE SHIFT

WHAT SLOWS YOU DOWN

New to PVC? This is how we work. It's easier than what you've been doing.

TYPICAL FRICTION



Quoting Takes Time

Working out every post, panel and detail before the customer is ready can eat into your day



PLANNING GETS HEAVY

Posts, panels, corners, gates and runs all need to make sense before you order



CUTTING ON SITE SLOWS THE JOB

Other materials often need tight upfront measurement, site cutting and more clean-up

THE PROBUILD WAY



PLANNER LINK DOES THE COUNT

Mark the run outside-post to outside-post, choose style, height and gates. The planner gives the job structure



CONFIRMS THE QUOTE

Our team checks the structure and sends back the Probuild supply quote for what is required.



POSTS FIRST. PANELS TO FIT.

Win the job, confirm the Probuild order, install posts first, then send the final opening measurements



THE METHOD

THE PROBUILD METHOD

Six steps. From run plan to panels fitted

01

PLAN THE RUN

Use the fence planner enquiry link. Mark each run outside-post to outside-post, then choose style, height and gate locations

02

GET THE JOB STRUCTURE

The planner gives the working structure: panel count, end posts, cornerposts, line posts and gate locations

03

PROBUILD CONFIRMS THE QUOTE

Our team checks the structure and sends back the Probuild supply quote

04

WIN THE JOB, CONFIRM THE ORDER

You quote your client your way. Once accepted, confirm the Probuild order

05

INSTALL POSTS FIRST

We supply the posts and required gate posts first. You install them to the planned run

06

SEND OPENINGS. DROP PANELS IN.

Send face-of-post to face-of-post measurements. We fabricate panels to fit



RANGE PAGE

PICKET RANGE

Five picket profiles, plus PVC Slat. 900, 1200, 1500, 1800 and 2100mm.



All Picket profiles use 102 x 102 posts. Gates are available in standard and custom sizes



ORDERING FLOW

HOW TO ORDER PICKET

Choose the profile, height, gate requirements and caps. Then follow the Probuild Method.

Step
1

SUBMIT ENQUIRY

Use the Fence Planner link.

Step
2

CHOOSE PROFILE

Picket, Modern, Colonial, Traditional, Federation or PVC Slat.

Step
3

CONFIRM DETAILS

Height, gate requirements and caps

Step
4

WE QUOTE

Probuild checks the structure and sends the supply quote

Step
5

INSTALL POSTS

Posts and required gate posts are supplied first

Step
6

SEND OPENINGS

Face-of-post to face-of-post. We fabricate panels to fit

HEIGHTS

900mm | 1200mm | 1500mm | 1800mm | 2100mm

POSTS

102 x 102 system | standard/custom gates available

OPTIONS

Front-facing pickets on Traditional, Colonial and Federation



RANGE PAGE

HAMPTONS RANGE

Privacy boards or semi-privacy splits. 900, 1200, 1500, 1800 and 2100mm.



PRIVACY

Full solid board panel for maximum screening.

Heights:

900, 1200, 1500, 1800 and 2100mm.



SEMI-PRIVACY

Solid privacy boards with an open picket section above

Split depends on height and selected top profile.

Semi-Privacy is built from board height + open picket height.

Common splits include 900/300, 1200/300, 1200/600, 1500/300 and 1800/300.



ORDERING FLOW

HOW TO ORDER HAMPTONS

Choose Privacy or Semi-Privacy, confirm the split, then follow the Probuild Method.

Step
1

SUBMIT ENQUIRY

Use the Fence Planner link

Step
2

CHOOSE STYLE

Privacy or Semi-Privacy

Step
3

CONFIRM SPLIT

Board height, open picket height and selected top profile

Step
4

WE QUOTE

Probuild checks the structure and sends the supply quote

Step
5

INSTALL POSTS

Posts and required gate posts are supplied first

Step
6

SEND OPENINGS

Face-of-post to face-of-post. We fabricate panels to fit

POSTS

127 x 127 system | standard/custom gates available

PRIVACY

Full solid board panel | heights 900, 1200, 1500, 1800, 2100mm

COMMON SPLITS

900/300 | 1200/300 | 1200/600 | 1500/300 | 1800/300



RANGE PAGE


RURAL RANGE

Post and rail configurations for acreage, paddocks and horse properties.



TWO RAIL

Open post and rail layout for long boundaries and light separation




THREE RAIL

Classic rural post and rail configuration for paddocks and acreage



FOUR RAIL

More rail coverage for stronger visual definition along the run



CROSS RAIL

Feature rural style with crossed rails between posts

Rural is still post and rail. Choose the rail configuration, then confirm run lengths, gates and post requirements before ordering.



ORDERING FLOW

HOW TO ORDER RURAL

Rural is ordered and supplied as posts and rails together.

Step
1

PLAN THE RUN

Send run lengths, rail configuration and gate locations.

Step
2

CONFIRM SYSTEM

Choose Two Rail, Three Rail, Four Rail or Cross Rail.

Step
3

SUPPLY TOGETHER

Rural posts and rails are supplied together for the run.

Step
4

INSTALL THE RUN

You install posts and rails to the agreed spacing and line.

POSTS

127 x 127 rural system | confirm post requirements

RAILS

Two Rail | Three Rail | Four Rail | Cross Rail

CONFIRM

Run lengths | gates | caps and hardware where required



RANGE PAGE

POOL RANGE

PVC pool fencing for pool barrier applications, with matched gates and hardware



Pool jobs are site-specific

Final compliance depends on the installed barrier, site conditions and local requirements.

KEY REQUIREMENTS




1200mm

minimum non-poolside barrier height



No footholds

avoid horizontal members or slats that create climb points



100mm

Maximum gap below barrier/gate and between vertical



900mm

non-climbable zones kept clear

CHOOSE THE RIGHT HEIGHT FOR YOUR PROJECT

1200MM

Pool Barrier

Minimum pool barrier height option for relevant pool applications

1500MM

Pool Barrier

Taller option where extra screening or site conditions require it.

1800MM+

Pool Barrier

Higher option for privacy, boundaries or site-specific requirements



ORDERING FLOW

HOW TO ORDER POOL

Pool jobs need height, clear zones, gate swing and hardware checked early.

Step
1

PLAN THE POOL RUN

Confirm fence line, height and gate locations.

Step
2

CHECK STRUCTURE

Vertical barrier layout with clear non-climbable zones.

Step
3

CONFIRM GATE HARDWARE

Outward swing, self-closing hinges, compliant latch position.

Step
4

MEASURE AND SEND

Face-of-post to face-of-post openings.

HEIGHT

Pool barrier options start at 1200mm minimum

LAYOUT

Confirm post locations, gate swing and clear zones

HARDWARE

Self-closing hinges | pool latch | matched gate hardware



MORE THAN FENCING

ADD THIS TO ANY JOB

More value for the customer. More work from one site.



GATES

Single, double and custom gate options matched to the fence style.



ELECTRIC GATES

Premium front-fence and driveway options. Confirm automation wording



WALL EXTENSIONS

Vertical privacy panels and screen dividers for existing walls.



LOUVERS

Privacy slats and custom screen panels.



ARBOURS

Garden entries and feature archways.



PERGOLAS

Custom outdoor structures to match PVC fencing



MORE THAN FENCING

FINISH THE PACKAGE

These products are ordered alongside the main fence, not as a separate process.



PLANT BOXES

Matching PVC garden and pool-side boxes



AC COVERS

Ventilated covers for outdoor air-conditioning units.



LATCHES & HINGES

Matched hardware sets for gates and pool applications.



ROUTING SUPPORT

For steps, rakes, angles and tricky corners

Order these with the main fence. Same pre-plan conversation. One matched PVC package



BEFORE YOU START

QUICK TIPS BEFORE YOU START

Five checks that make the job easier.




CONFIRM THE POST SYSTEM

Each range uses the post, rail and panel system made for that product. Confirm the system before ordering



MATCH THE CAPS AND ACCESSORIES

Order caps and hardware with the fence so everything arrives together



FLAG GATE LOCATIONS EARLY

Gate posts and openings affect the run structure, so include them in the Fence Planner enquiry



TELL US ABOUT SITE CONDITIONS

Steps, rakes, angles and truncated corners can change routing and fabrication details



ALWAYS PRE-PLAN

One call before you order can save time across the whole job

Stuck on a step? Call us before you order. Pre-plan support is part of the Probuild way



MEASUREMENTS

TWO MEASUREMENTS. TWO DIFFERENT JOBS.

Run measurements plan the job.
Opening measurements fabricate the panels.

RUN MEASUREMENT

Use this in the Fence Planner. Measure outside of first post to outside of last post for each run

Used for run structure, post count, panel count and quote planning.

PANEL OPENING

Use this after posts and required gate posts are installed. Measure face-of-post to face-of-post.

Used for final panel fabrication and gate openings where required.

Planning measurement gets the job structure. Face-of-post measurement gets the panel size.



ACCESSORIES

CAPS AND GATE HARDWARE

All panels are supplied in white. Caps and hardware are selected to suit the range, the gate and the look your customer wants

POST CAPS

Finish the top of the post and change the overall look

PICKET CAPS

Finish picket profiles for a sharper modern or heritage feel

FEATURE CAPS

Used where the job needs a stronger decorative finish

GATE HARDWARE

Latches, hinges and pool hardware are matched to the gate and job.

The cap choice can change the whole vibe of the same white PVC fence. Confirm caps with the style before ordering



ACCESSORIES

ROUTING AND NOTCHING

For steps, rakes, truncated corners and small fit adjustments

STEPPING

For fence runs that move up or down in clean sections

RAKING

For angled runs where the profile needs to follow the slope

TRUNCATED CORNERS

For corners and angles that need a slightly adjusted route

ADJUSTED ROUTING

A few extra millimetres can help the PVC profile sit cleanly

NOTCHING

Helps fine-tune the fit where small millimetres matter on install

TELL US EARLY

Flag steps, rakes and tricky corners during pre-plan

Ask us before cutting on site. We can match the route, cap and hardware to the job during pre-plan



COMING SOON

THE TRADE PORTAL IS COMING

Fence Planner is live now. The Trade Portal is the full system coming next

PROBUILD
PVC Fencing

Fast-track your quote

1 Your details — 2 Plan your fence — 3 Finishing touches

YOUR DETAILS

First name*

Last name*

Mobile*

Email*

Site address*

Start typing, then choose your address from the dropdown.

[Continue →](#)

INSTANT PRICING

Build quote-ready pricing from the planned run

CLIENT PLANS

Create client-ready plans for approval before the job starts

ORDER TRACKING

Confirm orders, send measurements, track fabrication.

Join the Trade Portal waitlist

customer.probuildpvc.com.au/waitlist



ORDERING NOW

HOW TO ORDER TODAY

Until the portal lands, submit a new enquiry through the Fence Planner link.

Step
1

SUBMIT ENQUIRY

customer.probuildpvc.com.au/enquiry

Step
2

ENTER THE RUN

Run lengths, style, height and gate locations.

Step
3

WE QUOTE

Probuild checks the plan and sends the supply quote.

Step
4

CONFIRM ORDER

You win the job and confirm the Probuild order.

Step
5

INSTALL POSTS

Posts and required gate posts are supplied first

Step
6

SEND OPENINGS


Face-of-post to face-of-post. We fabricate panels to fit


Fence Planner is live now for enquiries. Future Trade Portal adds pricing, client plans, 3D previews, ordering, panel measurements and tracking.



POSTS FIRST. PANELS TO FIT. LESS HEADACHE.

Trade support for quoting, planning and ordering
PVCfencing

 (08) 9300 9220

 sales@probuildpvc.com.au

 probuildpvc.com.au

 @ProBuildPVC

 Unit 2, 10 Energy Street, Malaga

WA-based PVC fencing manufacturer | 30-year material warranty | Fortrade enquiries